




**ROGERS**  
For the Perfection of Football Fundamentals™

PRODUCT INFORMATION PACKET

PRODUCT NAME: LEV SLED & JV LEV SLED

PRODUCT PART NUMBER: 411401 - 411407  
410561 - 410567



KEEP INFORMATION PACKET FOR FUTURE REFERENCE

# TABLE OF CONTENTS

---

- Introduction.....1
- General Safety Rules.....2
- Symbols.....3
- Technical Specifications.....4
- Assembly Instructions.....6
- Maintenance.....8
- Customer Service Information.....9

## INTRODUCTION

---

The Rogers Athletic Lev Sled has been designed and manufactured with safety, performance and dependability as top priorities, making it easy to operate and maintain.

The care you give your Lev Sled will greatly determine your satisfaction with its performance and service life. Careful study of this manual is encouraged to obtain a thorough understanding of your new Lev Sled and its functions and maintenance.

If your manual becomes lost or destroyed, Rogers Athletic will gladly provide you with a new copy. Should you require additional information or assistance, please feel free to contact us at 1-800-457-5337.

BECAUSE ROGERS ATHLETIC MAINTAINS AN ONGOING PROGRAM OF  
PRODUCT DEVELOPMENT AND IMPROVEMENT, WE RESERVE THE RIGHT  
TO MAKE IMPROVEMENTS IN DESIGN OR CHANGES IN SPECIFICATIONS  
WITHOUT INCURRING ANY OBLIGATIONS TO INSTALL THEM ON UNITS  
PREVIOUSLY SOLD.

# GENERAL SAFETY RULES

---



## **WARNING!**

### **READ AND UNDERSTAND ALL INSTRUCTIONS.**

Failure to follow all instructions listed below may result in serious personal injury





---

## **SAVE THESE INSTRUCTIONS**

- **Read the Product Information Packet.** Failure to read the information packet is considered a misuse of this equipment.
- **Inspect equipment prior to use. DO NOT use if it appears damaged or inoperable.**
- **Obtain a medical exam prior to beginning any new physical activity.** Use equipment only if properly fit to engage in physical activity.
- **Stop physical activity if you feel faint, dizzy, or experience pain at any time and consult your physician.**
- **Use field equipment in a supervised environment.**
- **Keep body and clothing clear of all moving parts.**
- **Stay clear of all pinch points.**
- **Become familiar with all caution and warning decals affixed to the field equipment before use.**
- **Never cover or deface caution/warning labels.**
- **Remove pads after use. Store pads in dry safe place.**
- **Save these instructions.** Refer to them frequently and use them to instruct others who may use the Lev Sled. If you loan someone your Lev Sled, loan them these instructions also.
- **Always wear a helmet when training with the Lev Sled.**

# SYMBOLS


---

	<p><b>Safety Alert:</b> Precautions that involve your safety.</p>
 <div data-bbox="391 583 613 779" style="border: 1px solid black; padding: 5px;"> <p><b>⚠ WARNING</b></p> <p><b>Pinch Point.</b> Keep hands and fingers clear.</p> </div>	<p><b>Pinch Point Symbol:</b> Failure to keep hands away from pinch points may result in personal injury.</p>
 <div data-bbox="391 842 613 1037" style="border: 1px solid black; padding: 5px;"> <p><b>⚠ WARNING</b></p> <p>Read and understand operator's manual and all other safety instructions before using this equipment.</p> </div>	<p><b>Read the Operator's Manual:</b> To reduce risk of injury, user must read and understand operator's manual before using this product.</p>
 <div data-bbox="391 1104 613 1299" style="border: 1px solid black; padding: 5px;"> <p><b>⚠ WARNING</b></p> <p>Avoid Injury. Do not climb.</p> </div>	<p><b>Do Not Climb Warning Label:</b> To reduce risk of injury, do not climb on field equipment.</p>

# ROGERS ATHLETIC LEV SLED™ SPECIFICATIONS

---

## LEV SLED (PART # 411401 – 411407)



### Weight & Width:

1 man = 324 lbs (147 kg); 44" (12cm) Wide

2 man = 487 lbs (221 kg); 59.38" (151cm) Wide

3-7 man = + 258 lbs (117 kg); + 55.5" (141cm) Wide each

Height: 40.5" without pad

Depth: 93.7" without pad


- Unique release mechanism allows pad to be raised only after the ram has been compressed at least five inches, helping develop proper drive technique.
- Modular design allows easy upgrading by adding links and runners to your current Lev Sled setup.
- Heaviest sled on the market. Heavy weight increases realism of blocking drills.
- Surge and Shock pads have body-like target areas to aim for.
- Ground-hugging framework allows players to run through on defensive drills.
- Nylon liner eliminates metal-on-metal wear and extending the life of the sled.
- Pad is held securely in place with a single pin. easily change or remove pads for storage.

### Lev Sled Construction, Finish, and Hardware

- Constructed of ASTM specified steel.
- Baked-on powder coat finish.
- Pads covered with durable weather-resistant vinyl.
- Zinc-plated hardware.

# ROGERS ATHLETIC JV LEV SLED™ SPECIFICATIONS

## JV LEV SLED (PART # 41 10561-41 10567)



### Weight & Width:

1 man = 219 lbs (99 kg); 44" (112cm) Wide

2 man = 314 lbs (143 kg); 48 " (122cm) Wide

3-7 man = + 181 lbs (82 kg); + 36 or 48" (122cm) Wide each

Height: 37" without pad

Depth: 71" without pad


- Unique release mechanism allows the pad to be raised only after the ram has been compressed at least four inches, helping develop proper drive technique.
- Improve younger players' skills with drills taking advantage of all the same features as our larger Lev Sled.
- Modular design allows easy upgrading by adding links and runners to your current JV Lev Sled setup.
- JV Lev Sled is scaled to players in sixth through ninth grades.
- Shock pads have body-like target areas to aim for.
- Ground-hugging framework allows players to run through on defensive drills.
- Nylon liner smoothes the action of the spring housing, eliminating metal-on-metal wear and extending the life of the sled.
- Pad is held securely in place with a single pin.
- Easily change or remove pads for storage.

### JV Lev Sled Construction, Finish, and Hardware

- Constructed of ASTM specified steel.
- Baked-on powder coat finish.
- Pads covered with durable weather-resistant vinyl.
- Zinc-plated hardware.

# ROGERS ATHLETIC JV LEV SLED™ SPECIFICATIONS


**1**



**Note: For 2-7 man Lev Sled setups skip to step 5.**


Lay Lev Runner Sub Assembly on its side. Line up holes from the Lev Outrigger with holes on the runner and use (2) 5/8" x 6" bolts and (2) 5/8" washers to hold it in place. Then flip runner right side up so outrigger lays on the ground. Push bolts the rest of the way through.

**2**




Fit second outrigger over the bolts and secure with (2) more 5/8" washers and (2) 5/8" nuts.

**3**




The Lev Ram Unit comes with (3) nuts on the threaded rod at the end of the spring. With (1) nut at the end of the spring, insert Ram Unit into sled head unit. Use the remaining (2) nuts to attach the ram unit to the sled. A screwdriver can be used to guide the threaded rod through the hole.

**4**




Use fas-pin to fasten pad to the ram unit.

5



**For 2-7 man Lev Sleds:** Lay Lev Runner Sub Assembly on its side. Connect the runner to the connection link using (2) bolts and (2) nuts.

6



**For 2-7 man Lev Sleds:** Flip Lev Runner and Connecting Link upright. Bolt next Lev Runner (and Connecting Link, if applicable) onto connecting link from previous step. Repeat until Lev Sled is complete.

# MAINTENANCE

---



## **WARNING!**

### **READ AND UNDERSTAND ALL MAINTENANCE PROCEDURES.**

Failure to follow all procedures listed below may cause serious injury and/or a decrease in equipment functionality.

---

- **Frequently check to see that all bolts are securely fastened.**
- **Touch up paint may be used to cover scratches or blemishes sustained through use.**
- **Field equipment should be washed periodically with soapy water to maintain original surface finish.**
- **A silicone based lubricant may be used on moving parts to maintain proper function.**
- **Replace any damaged equipment with genuine Rogers Athletic parts.** Failure to do so may result in unsafe equipment and/or personal injury.

## CUSTOMER SERVICE

---

For parts or service contact Rogers Athletic Company. When ordering parts be sure to provide all relevant information available including the name and part number of the equipment purchased. This information is located on the cover of this product information package. Customer service hours are Monday through Friday from 8:00 a.m. to 5:00 p.m. Eastern Standard Time. Customers can phone (989) 386-2950 or toll free at (800) 457-5337. Fax toll free at (888) 549-9659 or mail to:

Rogers Athletic Company  
3760 W. Ludington Drive  
Farwell, MI 48622



Rogers Athletic Company  
3760 N. Ludington Drive  
Farwell, MI 48622  
[www.rogersathletic.com](http://www.rogersathletic.com)  
(989) 386-2950  
(800) 457-5337  
Fax toll free (888) 549-9659