



ROGGEERS
For the Perfection of Football Fundamentals™


PRODUCT INFORMATION PACKET

PRODUCT NAME: OKLAHOMA CHUTE

PRODUCT PART NUMBER: 410107-410111

& 410259-410260

& 410336-410339



KEEP INFORMATION PACKET FOR FUTURE REFERENCE

TABLE OF CONTENTS

- Introduction.....1
- General Safety Rules.....2
- Symbols.....3
- Technical Specifications.....4
- Assembly Instructions.....5
- Maintenance.....9
- Customer Service Information.....9

INTRODUCTION

The Rogers Athletic Oklahoma Chute has been designed and manufactured with safety, performance and dependability as top priorities, making it easy to operate and maintain.

The care you give your Oklahoma Chute will greatly determine your satisfaction with its performance and service life. Careful study of this manual is encouraged to obtain a thorough understanding of your new Oklahoma Chute and its functions and maintenance.

If your manual becomes lost or destroyed, Rogers Athletic will gladly provide you with a new copy. Should you require additional information or assistance, please feel free to contact us at 1-800-457-5337.

BECAUSE ROGERS ATHLETIC MAINTAINS AN ONGOING PROGRAM OF PRODUCT DEVELOPMENT AND IMPROVEMENT, WE RESERVE THE RIGHT TO MAKE IMPROVEMENTS IN DESIGN OR CHANGES IN SPECIFICATIONS WITHOUT INCURRING ANY OBLIGATIONS TO INSTALL THEM ON UNITS PREVIOUSLY SOLD.

GENERAL SAFETY RULES



WARNING!





READ AND UNDERSTAND ALL INSTRUCTIONS.

Failure to follow all instructions listed below may result in serious personal injury.

SAVE THESE INSTRUCTIONS


- **Obtain a medical exam prior to beginning any new physical activity.** Use equipment only if properly fit to engage in physical activity.
- **Stop physical activity if you feel faint, dizzy, or experience pain at any time and consult your physician.**
- **Use field equipment in a supervised environment.**
- **Keep body and clothing free from and clear of all moving parts**
- **Inspect equipment prior to use. DO NOT use if it appears damaged or inoperable.**
- **Stay clear of all pinch points.**
- **Save these instructions.** Refer to them frequently and use them to instruct others who may use the Oklahoma Chute. If you loan someone your Oklahoma Chute, loan them these instructions also.
- **Read the Product Information Packet.** Failure to read the information packet is considered a misuse of this equipment.
- **Become familiar with all caution and warning decals affixed to the field equipment before use.**
- **Never cover or deface caution/warning labels.**
- **Always wear a helmet when using the Oklahoma Chute.**

SYMBOLS

	<p>Safety Alert: Precautions that involve your safety.</p>
 <div data-bbox="378 506 589 688" style="border: 1px solid black; padding: 5px;"> <p>⚠ WARNING</p> <p>Pinch Point. Keep hands and fingers clear.</p> </div>	<p>Pinch Point Symbol: Failure to keep hands away from pinch points may result in personal injury.</p>
 <div data-bbox="378 764 589 947" style="border: 1px solid black; padding: 5px;"> <p>⚠ WARNING</p> <p>Read and understand operator's manual and all other safety instructions before using this equipment.</p> </div>	<p>Read the Operator's Manual: To reduce risk of injury, user must read and understand operator's manual before using this product.</p>
 <div data-bbox="378 1018 589 1201" style="border: 1px solid black; padding: 5px;"> <p>⚠ WARNING</p> <p>Avoid Injury. Do not climb.</p> </div>	<p>Do Not Climb Warning Label: To reduce risk of injury, do not climb on weight racks.</p>

ROGERS ATHLETIC OKLAHOMA CHUTE SPECIFICATIONS

OKLAHOMA CHUTE (410107-410111 & 410259-410260 & 410336-410339)




Weight:	1 man = 75 lbs (34 kg) 2 man = 135 lbs (61 kg) 3-7 man = +60 lbs (27 kg)
Height:	41-51" (104-130cm)
Depth:	6" (155cm)
Width:	1-Man = 56" (140 cm) 2-Man = 108" (274cm) 3-Man & up = +53" (134cm) each

- Overhead tubing keeps players low while firing off the line and allows them to raise and drive after the initial steps.
- Height adjusts from 41 to 51 inches.

Oklahoma Chute Construction, Finish, and Hardware

- Constructed of ASTM specified steel.
- Baked-on powder coat finish.


1



Note: For 2–7 man setups, only attach two elbows (on the same side) and go to step 4.


Place (4) Chute Elbows onto Chute Yolk. Insert (4) ¼" bolts and (4) ¼" nuts through yolk and elbows.

2



Flip parts from Step 1 upside down. Insert fas-pins into desired height positions. Make sure all pins are at an equal height. Place (2) Runners onto elbows as shown. Flip over Chute and make sure fas-pins are resting against the runner, tighten (4) 3/8" bolts.


3



2-7 Man Chute


Insert (2) Chute Elbows into Chute Top. Place (2) ¼" bolts and (2) ¼" nuts through Elbow and Top. Insert (2) Chute Tee's into Chute Top. Place (2) ¼" bolts and (2) ¼" nuts through Tee and Top.

4




See **Step 2** for adding runners

5




Insert Chute Top into assembly from step 4. Place (2) ¼" bolts and (2) ¼" nuts through Top and Tee.

6



Place fas-pin in each Tee. Insert Tee into runner. Tighten 3/8" Bolts located in runner.

7



Insert Assembly from Step 6 into Step 5. Place (2) $\frac{1}{4}$ " bolts and (2) $\frac{1}{4}$ " nuts through Top and Tee. Repeat Steps 5, 6, and 7 until Oklahoma Chute is complete. On the end, elbows will be used instead of Tees.

MAINTENANCE



WARNING!

READ AND UNDERSTAND ALL MAINTENANCE PROCEDURES.

Failure to follow all procedures listed below may cause serious injury and/or a decrease in equipment functionality.

- **Frequently check to see that all bolts are securely fastened.**
- **Touch up paint may be used to cover scratches or blemishes sustained through use.**
- **Field equipment should be washed periodically with soapy water to maintain original surface finish.**
- **A silicone based lubricant may be used on moving parts to maintain proper function.**
- **Replace any damaged equipment with genuine Rogers Athletic parts.** Failure to do so may result in unsafe equipment and/or personal injury.

CUSTOMER SERVICE

For parts or service contact Rogers Athletic Company. When ordering parts be sure to provide all relevant information available including the name and part number of the equipment purchased. This information is located on the cover of this product information package. Customer service hours are Monday through Friday from 8:00 a.m. to 5:00 p.m. Eastern Standard Time. Customers can phone (989) 386-2950 or toll free at (800) 457-5337. Fax toll free at (888) 549-9659 or mail to:

Rogers Athletic Company
3760 W. Ludington Drive
Farwell, MI 48622

Rogers Athletic Company
3760 N. Ludington Drive
Farwell, MI 48622
www.rogersathletic.com
(989) 386-2950
(800) 457-5337
Fax toll free (888) 549-9659